



High-quality silicone remover for plastic parts and conventional paint materials

Permaloid Silicone Remover 7010 is a mixture of slowly-evaporating organic solvents, and is primarily used to remove oil and grease residues on metal and plastic.

- · Achieves an anti-static effect on plastic parts.
- Contains mild solvents.
- · Storage is straightforward thanks to a higher flash point.

For professional use only!

Spies Hecker simply closer.



An Axalta Coating Systems Brand

VR Technical Data Sheet No. EN / 7010A.10 1 / 17.01.2024



Product preparation - application Plastic Preparatory



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.





Repairs to exterior common plastic car parts, sanded.

New exterior common plastic car parts, tempering 60 min. 60-65°C / first cleaning use a pad ultrafine soaked in Permaloid Silicone Remover 7010 / final cleaning use a cloth moistened with Permaloid Silicone Remover 7010.

Wipe surface to loosen and lift contaminants. Immediately, thoroughly wipe off with a clean cloth. Change cloths often, never use dirty cloths.

Remove thoroughly all traces of release agents.



Ready to use



Not applicable

VOC compliant

2004/42/IIB(a)(850) 770: The EU limit value for this product (product category: IIB(a)) in ready to use form is maximum 850 g/l of VOC. The VOC content of this product in ready to use form is maximum 770 g/l.

VR Technical Data Sheet No. EN / 7010A.10 2 / 17.01.2024



Product preparation - application Preparatory Cleaner



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.





Old or original paintwork unsanded.

Old or original paintwork well sanded.

OEM Primer (e-coat), unsanded.

OEM Primer (e-coat), sanded.

Bare steel sanded.

Galvanised steel or soft aluminium sanded.

Glass fibre reinforced polyester substrates, free of release agents sanded.

Surfaces pretreated with 2K polyester products and then finely sanded.

Wipe dry with a clean cloth.

Change cloths often, never use dirty cloths.

Never let Permaloid Silicone Remover 7010 evaporate from the surface. Treat only one small area at the time.



Ready to use



Not applicable

VOC compliant

2004/42/IIB(a)(850) 770: The EU limit value for this product (product category: IIB(a)) in ready to use form is maximum 850 g/l of VOC. The VOC content of this product in ready to use form is maximum 770 g/l.

VR Technical Data Sheet No. EN / 7010A.10 3 / 17.01.2024



Product preparation - application Final Cleaner



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.





Old or original paintwork well sanded.

Glass fibre reinforced polyester substrates, free of release agents sanded.

Wipe dry with a clean cloth.

Change cloths often, never use dirty cloths.

Never let Permaloid Silicone Remover 7010 evaporate from the surface. Treat only one small area at the time.



Ready to use



Not applicable

VOC compliant

This product mix is not VOC compliant.

VR Technical Data Sheet No. EN / 7010A.10 4 / 17.01.2024



Products

Permaloid® Silicone Remover 7010

Remarks

· For detailed information regarding suitable plastic substrates, please refer to the Spies Hecker Plastic Painting System TDS - SHPlasticSystem.

Consult Safety Data Sheet prior to use. Observe the precautionary notices displayed on the container.

All other products referred to in the refinish build up are from our Spies Hecker product range. System properties will not be valid when the related material is used in combination with any other materials or additives which are not part of our Spies Hecker product range, unless explicitly indicated otherwise.

For professional use only! The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check the information with regard to up-to-dateness and suitability for his intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved. The relevant Material Safety Data Sheet and Warnings displayed on the product label need to be observed. We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.